PTO/SB/83 (01-06)

Approved for use through 12/31/2008. OMB 0651-0035 U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

REQUEST FOR WITHDRAWAL
AS ATTORNEY OR AGENT
AND CHANGE OF
CORRESPONDENCE ADDRESS

	· · ·					
Application Number	Pat. No. 7,152,109					
Filing Date	Issued: December 19, 2006					
First Named Inventor	Raymond Suorsa					
Art Unit	2182					
Examiner Name .	Eron J. Sorrell					
Attorney Docket Number	PA3938US					

P.O.	missioner fo Box 1450										
Alexandria, VA 22313-1450											
Please withdraw me as attorney or agent for the above identified patent application, and											
all the attorneys/agents of record.											
the attorneys/agents (with registration numbers) listed on the attached paper(s), or											
the attorneys/agents associated with Customer Number						22830					
NOTE: This box can only be checked when the power of attorney of record in the application is to all the practitioners associated with a customer number.											
The reasons for this request are: The practitioners (the attorneys/agents associated with Customer Number 22830) have been discharged by the client.											
	CORRESPONDENCE ADDRESS										
The correspondence address is NOT affected by this withdrawal.											
	,					cnee to	.•				
2. Change the correspondence address and direct all future correspondence to:											
The address associated with Customer Number:											
OR Fir	m <i>or</i>	T					<del></del>				
11/1	lividual Name	Jonathan M. Harris			· .						
Address		Conley Rose LLP 600 Travis St., Suite 1700 JPMorgan Chase Tower									
City		Houston		State	TX				Zip	77002-2912	
Country		USA									
Telephone 713-238-8000						Email					
Signature	Dad	c. lelel									
Name	Daniel C. Kloke	ke				Registration No. 58,417					
Date	December 6, 2007					Telephone No. (650) 812-3400					
NOTE: Withdrawal is effective when approved rather than when received. Unless there are at least 30 days between approval of withdrawal and the expiration											

This collection of information is required by 37 CFR 1.36. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



## CARR & FERRELL LLP

WRITER'S DIRECT DIAL NUMBER (650) 812-3440 DKloke@CarrFerrell.com

December 6, 2007

Jon Stueve Opsware Inc. 599 N. Mathilda Avenue Sunnyvale, CA 94085

Re:

U.S. Patent 7,152,109

Title:

**Automated Provisioning of Computing Networks** 

According to Customer Accounts Using a Network

Database Model

Issued:

December 19, 2006

Our Ref: 🕝

**PA3938US** 

Dear Jon:

As new counsel has been found to prosecute the above-referenced matter, we have filed a request with the United States Patent and Trademark Office to withdraw as attorney/agent of record in the same. This request will likely be granted and all future correspondence from the Patent Office should be delivered directly to the new counsel. We will, of course, forward any correspondence that may be misdirected to us in the interim.

Please be advised that there is a risk of losing rights in the above-referenced patent application if the new counsel does not respond to future communications from the Patent Office in a timely manner.

Sincerely,

Daniel C. Kloke

DCK:hyl Enclosures